

Appl. No. 10/802,159  
Response Dated March 8, 2006  
Reply to Advisory Action of 02/17/06

Docket No. CM05518H  
Customer No. 22917

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (previously presented) A registration method for use in a system having a hierarchical structure comprising a mobile node, at least one foreign agent, at least one gateway foreign agent and a home agent, said method comprising the steps of:

intercepting a registration request from a mobile node to its home agent, said registration request including a first care-of address for said mobile node;

determining whether there is an existing entry in a visitor list for said mobile node;

if said entry exists, updating said entry;

if no entry exists, creating an entry in said list for the mobile node, adding a second care-of address as an extension to said registration request, and sending said registration request with said address extension to said home agent;

sending a registration reply to said mobile node; and

maintaining in a gateway foreign agent a first and a second lifetime value, wherein said first lifetime value corresponds to the lifetime of a registration by said mobile node with its home agent, and said second lifetime value corresponds to the lifetime of a registration by said mobile node with a gateway foreign agent.

2. (original) The method of Claim 1, wherein said first care-of address is the IP address of a foreign agent, which is included in a care-of address entry of said registration request, and said second care-of address is the IP address of a gateway foreign agent.

3. (original) The method of Claim 2, wherein said foreign agent selects said gateway foreign agent, and relays said registration request from said mobile node to said gateway foreign agent.

Appl. No. 10/802,159  
Response Dated March 8, 2006  
Reply to Advisory Action of 02/17/06

Docket No. CM05518H  
Customer No. 22917

4. (original) The method of Claim 1, wherein said registration reply is sent directly to said mobile node from a gateway foreign agent if said entry exists, and said reply is received from said home agent and relayed from the home agent to the mobile node via a gateway foreign agent if no entry exists.

5. (original) The method of Claim 4 further comprising the steps of determining whether the reply from the home agent indicates that said mobile node has successfully registered with said home agent and if so storing a lifetime value included in said registration reply, otherwise deleting the entry in said visitor list for said mobile node.

6. (original) The method of Claim 4, wherein if an entry exists, said method further comprising the steps of determining whether a lifetime for said registration request has expired and if so adding said second care-of address as an extension to said registration request, and sending said registration request with said address extension to said home agent.

7. (original) The method of Claim 1, wherein updating said entry comprises recording said first care-of address.

8. (original) The method of Claim 7, wherein said entry is updated as a function of said mobile node roaming from a first foreign agent to a second foreign agent, wherein said first care of address is the IP address of said second foreign agent.

9. (cancelled)

10. (cancelled)

11. (previously presented) The method of Claim 1, wherein said first lifetime value is the same as said second lifetime value.

Appl. No. 10/802,159  
Response Dated March 8, 2006  
Reply to Advisory Action of 02/17/06

Docket No. CM05518H  
Customer No. 22917

12. (previously presented) The method of Claim 1, wherein said first lifetime value is different from said second lifetime value.

13. (original) The method of Claim 1, wherein said first care-of address is a co-located care-of address, which is included in a care-of address entry of said registration request, and said second care-of address is the IP address of a gateway foreign agent.

14. (cancelled)

15. (cancelled)

16. (canceled)

17. (canceled)

18. (previously presented) The method of Claim 1, further comprising removing said second care-of address from said registration entry if said second care-of address is unreachable.

19. (original) The method of Claim 18, further comprising:

receiving a subsequent registration message from said mobile node including a valid care-of address added as an extension to said subsequent registration request; and  
recording said valid care-of address for use in tunneling at least one datagram to said mobile node.

20. (cancelled)

Appl. No. 10/802,159  
Response Dated March 8, 2006  
Reply to Advisory Action of 02/17/06

Docket No. CM05518H  
Customer No. 22917

21. (previously presented) A gateway foreign agent included in a system having a hierarchical structure comprising a mobile node, at least one foreign agent, at least one said gateway foreign agent and a home agent, said gateway foreign agent being configured for:

intercepting a registration request from a mobile node to its home agent, said registration request including a first care-of address for said mobile node;

determining whether there is an existing entry in a visitor list for said mobile node;

if said entry exists, updating said entry;

if no entry exists, creating an entry in said list for the mobile node, adding a second care-of address as an extension to said registration request, and sending said registration request with said address extension to said home agent;

sending a registration reply to said mobile node; and

maintaining in a gateway foreign agent a first and a second lifetime value, wherein said first lifetime value corresponds to the lifetime of a registration by said mobile node with its home agent, and said second lifetime value corresponds to the lifetime of a registration by said mobile node with a gateway foreign agent.

22. (cancelled)